

Message

From: Rogers, Rick [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=BCE033A9EDE7409D944D8AE868394548-RR0GER04]
Sent: 7/13/2021 8:14:08 PM
To: Melvin, Karen [Melvin.Karen@epa.gov]
Subject: RE: LSL Inventory Funding Sources

Absolutely! The system is required to develop a pool with a large enough number of sites to meet their minimum number of sample sites with the appropriate type of plumbing (tier 1 sites = lead service lines; tier 2 sites = copper tubing with lead based solder installed during a certain time period; tier 3 would be older lead soldered copper or just bronze and brass fixtures). The LCR requires that PWSs develop a sample site

Ex. 5 Deliberative Process (DP)

Rick Rogers, Chief
Water Branch (3ED30)
Enforcement and Compliance Assurance Division
U.S. EPA Region III
1650 Arch Street
Philadelphia, PA 19103
rogers.rick@epa.gov
Office: 215.814.5711
Cell: 215.341.4762

From: Melvin, Karen <Melvin.Karen@epa.gov>
Sent: Tuesday, July 13, 2021 3:35 PM
To: Rogers, Rick <rogers.rick@epa.gov>
Subject: FW: LSL Inventory Funding Sources

Ex. 5 Deliberative Process (DP)

KAREN MELVIN, DIRECTOR
ENFORCEMENT AND COMPLIANCE ASSURANCE DIVISION
US EPA, REGION 3
1650 ARCH STREET
PHILADELPHIA, PA 19103
215-814-3275

From: Gillespie-Marthaler, Leslie
Sent: Tuesday, July 13, 2021 3:24 PM
To: Melvin, Karen <Melvin.Karen@epa.gov>
Subject: FW: LSL Inventory Funding Sources

Karen,

Ex. 5 Deliberative Process (DP)

Leslie

From: Howell, Amie <Howell.Amie@epa.gov>

Sent: Tuesday, July 13, 2021 3:00 PM

To: Gillespie-Marthaler, Leslie <GillespieMarthaler.Leslie@epa.gov>; Crumlish, Karen <Crumlish.Karen@epa.gov>

Subject: RE: LSL Inventory Funding Sources

Stephanie Hickerson is the Infrastructure & Capacity Development Manager and lead for the DWSRF at WV DHHR. I assume we would work through her.

Amie Howell, Chief
State Assistance and Partnerships Branch
Water Division (3WD30)
U.S. EPA Region 3
1650 Arch Street
Philadelphia, PA 19103
Phone: (215) 814-5722
E-mail: howell.amie@epa.gov

From: Gillespie-Marthaler, Leslie <GillespieMarthaler.Leslie@epa.gov>

Sent: Tuesday, July 13, 2021 2:55 PM

To: Howell, Amie <Howell.Amie@epa.gov>; Crumlish, Karen <Crumlish.Karen@epa.gov>

Subject: RE: LSL Inventory Funding Sources

Thank you Amie! Would we need to coordinate via Kathy Emery, or who would be a point of contact if we needed to reach out and emphasize a need for Clarksburg?

Thank you,

Leslie

Leslie Gillespie-Marthaler, Ph.D.
Deputy Director
Water Division
USEPA Region 3
1650 Arch Street 3WD00
Philadelphia, PA 19103
215-814-2735
GillespieMarthaler.Leslie@epa.gov

From: Howell, Amie <Howell.Amie@epa.gov>

Sent: Tuesday, July 13, 2021 2:41 PM

To: Gillespie-Marthaler, Leslie <GillespieMarthaler.Leslie@epa.gov>; Crumlish, Karen <Crumlish.Karen@epa.gov>

Subject: LSL Inventory Funding Sources

Leslie and Karrie,

I spoke with staff today about using the DWSRF to conduct a LSL inventory in Clarksburg. In WV, all infrastructure projects (water, wastewater, roads, airports, etc.) go through the state's Infrastructure Jobs Development Council (IJDC). A basic application is submitted to them and they decide where it should go. They receive state funding and can provide a broad range of support. They meet monthly to review applications and can re-direct, fully-fund, or co-fund projects. If they think it should go to the DWSRF, it is directed to WV DHHR and they would request a second application. The IJDC could be a potential source of funding.

Ex. 5 Deliberative Process (DP)

Let me know if you have questions or need more information. Thanks, Amie

Amie Howell, Chief
State Assistance and Partnerships Branch
Water Division (3WD30)
U.S. EPA Region 3
1650 Arch Street
Philadelphia, PA 19103
Phone: (215) 814-5722
E-mail: howell.amie@epa.gov